

Premium 2Way Accessory Catalog



Phone: 800-334-5426

Website: ragancommunications.com

Email: sales@ragancommunications.com

Table of Contents

Page 3	Naming Convention
Page 4 & 5	BRAIDED FIBER CLOTH Earpieces
Page 6 & 9	
Page 10	Acoustic Tube Earpieces
Page 11	Ear Hook Earpieces
Page 12	D, C Rings and Ear Bud Earpieces
Page 13	Swivel Earpieces
Page 14 & 15	eco Priced Earpieces
Page 16 & 17	
Page 18 & 19	Retail Swivel Earpieces
Page 20 & 21	Knowles Hi-Def Earpieces
Page 22 & 23	
Page 24 & 29	Speaker Microphones
Page 30 & 31	Receive Only Earpieces
Page 32	Noise Cancelling Knowles Hi-Def Headsets
Page 33	Light Weight Headsets
Page 34 - 37	Heavy Duty Headsets
Page 38	Adaptors
Page 39	Hirose™ Adaptors and Accessories
Page 40	Acoustic Tube Ear Tips & Parts
Page 41	Earpiece & Headset Parts
Page 42	Radio & Hirose Adaptors
Page 43	Speaker Mic & Battery Parts
Page 44-51	





Earpieces

AT **Acoustic Tube** Examples

Acoustic Tube Straight ATS

AT1W = Acoustic Tube 1 Wire **SWVL** Swivel

Far Hook EH AT1W-M = Acoustic Tube 1 Wire with

Ear Hook Large EHLG Motorola M Connector

D-Ring DR

D-Ring Adjustable DRA

Ear Bud EB SL SnapLock

ATROC15 = Acoustic Tube Coil 15mm **Receive Only Earpieces**

Receive Only Coiled Wire ATROC15-3.5 = Receive Only Acoustic ROC Receive Only Straight Wire Tube Coiled Wire with 3.5 Connector ROS

Earpice Type

AT+2W = Acoustic Tube Braided 2 Wire **Braided Fiber**

1W 1 Wire In-Line PTT AT+2W-M12 = Acoustic Tube Braided

Fiber 2 Wire with Motorola M12 Connector 1WB 1 Wire Lines Out Bottom Of PTT

2 Wire 3 Wire **3W**

Speaker Mics

SM6W = Speaker Mic 6 Water Proof SM Speaker Mic

SM6W-K = Speaker Mic 6 Water Proof Water Proof W

with K Connector **Noice Cancelling** NC

Headsets

HS Headset

Headset Single Ear HSS = Headset Single Ear HSS

HSD **Headset Double Ear** HSS-Y3 = Headset Single Ear with

Headset Behind Head HSB Vertex Y3 Connector

Headset Behind Head Heavy Duty HSBHD

Headset In Ear HSIE

Parts

Adaptor AD AD-M12-M = Adaptor for Motorola M12

Ear Tip ETIP

(Multi-Pin) to M (Single Pin) **Belt Clip** BC

HOME OF THE ORIGINAL

BRAIDED FIBER CLOTH_®

EARPIECES

3X STRONGER

90 Pound Pull-Strength



BRAIDED FIBER CLOTH





Swivel Ear Hook Adj. D Ring C Ring



Available In

1 Wire Kit 2 Wire Kit

(2 Wire Is Noise Cancelling)

&

Snaplock Earpiece System ®



BRAIDED FIBER CLOTH Snaplock 1 Wire SL+1W

- Improved strength and durability
- Tangle-free
- A straight through in-line PTT / microphone with added shielding
- With male Snaplock connector



BRAIDED FIBER CLOTH Snaplock

2 Wire

SL+2W

- Improved strength and durability
- Tangle-free
- Noise cancelling premium microphone with clip-on PTT
- With male Snaplock connector

Snaplock l Wire

SL1W

- A straight through in-line PTT with microphone
- With male Snaplock connector





Snaplock 2 Wire SL2W

- Clip-on PTT with microphone
- With male Snaplock connector

Snaplock 3 Wire SL3W

- Palm PTT
- Discreet pin on lapel microphone
- With male Snaplock connector



Features

- Industry-leading 90lb pull strength
- Specialized cable for flexibility in various temperature environments
- Molded stress relief at connector

KEVLAR

HOME OF THE ORIGINAL



1 Wire 2 Wire OR 3 Wire

Available In BRAIDED FIBER CLOTH

Or Standard Resin Line

HOME OF THE ORIGINAL



INDUSTRY'S LARGEST SELECTION

Available In **BRAIDED FIBER CLOTH**Or Standard Resin Line







Snaplock

Covert Ear Tips

SL-ET+2-W - White SL-ET+2-B - Black



Snaplock

In-Ear Hi-Def

SL-HD+IEG - Gel Tip **SL-HDIEF** - Foam Tip



Snaplock Swivel

SL-SWVL





Snaplock Ear Hook

SL-EH - Standard



Indestructible

Connector

Snaplock

Bone Conduction

SL-BC - Hearing Aid



Snaplock D&C-Ring

SL-DRA- Adjustable

SL-DR - Standard

SL-CR - C-Ring



Snaplock High-Def

Acoustic Tube

SL-ATHD+ - Knowles Speaker



Snaplock

3.5 Connector

SL-F3.5 - Female

SL-3.5 - Male



Snaplock Nºear

Stealth 260 & 360

SL-S260 Clear - Critical Comm.

SL-S360 Clear - Critical Comm.



Snaplock

Acoustic Tube

SL-AT - Premium Acoustic Tube

SL-ATR - Economically Priced for retail and hospitality



Acoustic Tube Earpieces



BRAIDED FIBER CLOTH Acoustic

Tube l Wire

AT+1W



- Improved strength and durability
- Tangle-free
- Surgical tubing with UV protection
- A straight through in-line PTT / microphone with added shielding

BRAIDED FIBER CLOTH Acoustic Tube 2 Wire

AT+2W



- Improved strength and durability
- Tangle-free
- Surgical tubing with UV protection
- Noise cancelling premium microphone

Acoustic Tube 1 Wire

AT1W

- A straight through in-line PTT with microphone
- Surgical tubing with UV protection



Acoustic Tube 2 Wire


AT2W

- Clip-on PTT with microphone
- Surgical tubing with UV protection



Acoustic Tube 3 Wire

AT3W



- Palm PTT
- Discreet clip-on microphone

See Replacement Parts on Acoustic Parts Page

Features

- Industry leading 30lb pull-strength
- Quick disconnect clip secures the earpiece and provides additional cable strain relief
- Twist off acoustic tubes hygienic quick and easy swap between multiple users sharing equipment

KEVLAR



BRAIDED FIBER CLOTH

Ear Hook l Wire EH+1W

- Improved strength and durability
- Tangle-free
- Enhanced comfort
- A straight through in-line PTT/ microphone with added shielding



 A straight through in-line PTT with microphone





Ear Hook 2 Wire EH2W

 Clip-on PTT with microphone

Ear Hook with large speaker EHLG1W

- Oversized Ear Hook speaker
- A straight through in-line PTT with microphone





Features

- Industry leading 30lb pull-strength
- Specialized cable for flexibility in various temperature environments
- Molded stress relief at connector



D,C Ring & Ear Bud Earpieces



D-Ring Adjustable 1 Wire DR1W **DRAIW**

- A straight through in-line PTT with microphone







C-Ring 1 Wire

CR1W

 A straight through in-line PTT with microphone

Ear Bud 1 Wire EB1W

- A straight through in-line PTT with microphone



Features

- Industry leading 30lb pull strength at both ends of the PTT
- Specialized cable for flexibility in various temperature environments
- Molded stress relief at connector

KEVLAR



BRAIDED FIBER CLOTH Swivel

1 Wire

SWVL+1W

- Improved strength and durability
- Tangle-free
- A straight through in-line PTT with RF-shielded microphone
- Enhanced comfort
- Worn outside ear increased hygiene for multi-users





Swivel 1 Wire SWVL1W

- A straight through in-line PTT with RF-shielded microphone
- Enhanced comfort
- Worn outside ear increased hygiene for multi-users

Swivel 2 Wire

SWVL2W

- Clip-on PTT with microphone
- Enhanced comfort
- Worn outside ear increased hygiene for multi-users



Features

- Industry leading 30lb pull strength at both ends of the PTT
- Specialized cable for flexibility in various temperature environments
- Molded stress relief at connector

KEVLAR

eço price

Standard Earpiece Offering Economically (eco) Priced Below Our Premium N2W Accessories

25% to 35% Lower Pricing

1 Year Warranty





Swivel 1 Wire

SWVL1WB(eco)

 Lines out Bottom PTT with Microphone



D-Ring 1 Wire

DR1WB(eco)

- Lines out Bottom PTT with Microphone



- 25% 35% Lower Pricing
- Quality Microphone
- Loud Speaker
- Strong 360 Degree Rotating Clip
- Replaceable Parts
- 1 Year Warranty



AT1WB(eco)

 Lines out Bottom PTT with Microphone

Acoustic Tube 2 Wire AT2W(eco)

- Lines out Bottom PTT with Microphone









NEW WRAP-TIGHT Adjustable Sizing Earpiece







EHWT1W

microphone

NEW WRAP-TIGHT



- Make it long or make it short

- Wrap up the extra line for a perfect fit

- Premium in-line microphone

- Strong rotating clothing clip

KEVLAR

Cords on All Earpieces

Features


- Industry leading 30lb pull strength at both ends of the PTT
- Specialized cable for flexibility in various temperature environments
- Molded stress relief at connector





NEW RETAIL SWIVEL

Available For:
Motorola 2 Pin (MA), Kenwood 2 Pin (K), Kenwood PKT-23 1 Pin (K2)



RETAIL CONNECTORS


Motorola 2 Pin (MA), Kenwood 2 Pin (K), Kenwood PKT-23 1 Pin (K2)

















- Braided Fiber Line
- Knowles Speaker
- Engineered for premium voice quality

- Engineered for premium voice quality

Snaplock Hi-Def Acoustic Tube **Knowles Speaker** SI_ATHD+ - Braided Fiber Line - Knowles Speaker

Snaplock

Hi-Def Knowles In-Ear SL-HDIEF



- Mechanical On/Off Ambient Noise Control
- Knowles Speaker
- Engineered for premium voice quality



Premium Speakers Engineered specifically for Voice Quality





NEW "HI-DEF" SNAPLOCK ACOUSTIC TUBE




Near

IMPROVED CRITICAL COMMUNICATIONS










IMPROVED CRITICAL COMMUNICATIONS



STEALTH 360 PRO
Patented Technology

0% Ear Fatigue

6 Patents

In-Ear Technology

FDA Approved

100% Situational Awareness

3 Year Warranty

Available In:

SnapLock Earpiece System

& Receive Only



Near



Snaplock Stealth 260 Pro

SL-S260-Clear SL-S260-Black SL-S260-Brown

- Patented Technology
- Zero ear fatigue
- Left or Right ear specific
- 1 Year Warranty



Snaplock
Stealth 360 Pro

SL-S360-Clear SL-S360-Black SL-S360-Brown

- Patented Technology
- Zero ear fatigue
- Left or Right ear specific
- 3 Year Warranty



Receive Only Stealth 260 Pro

\$260RO-3.5 Clear **\$260RO-**3.5 Black **\$260RO-**3.5 Brown

\$360RO-3.5 Clear **\$360RO**-3.5 Black **\$360RO**-3.5 Brown

- Patented Technology
- Zero ear fatigue
- Left or Right ear specific
- 1 Year Warranty





Best Selling Speaker Microphone 6 Series

SM6

- Compact, heavy-duty design
- IP55 rated water and dust resistant
- Dimensions: 2.25" x .8" x 2"
- Extra-Long, heavy-duty cord







SM6W

- Compact, heavy-duty design
- Heavy-duty, fire retardant cable
- IP67 rated/ water and dust proof
- Dimensions: 2.25" x .8" x 2"

SM6WL

- Same features as above SM6W
- Extra-Long heavy-duty cord



SM6WE

- Compact, heavy-duty design
- Heavy-duty, fire retardant cable
- IP67 rated/ water and dust proof
- Dimensions: 2.25" x .8" x 2"
- Emergency Button



Battery Powered Speaker Mic

SM7

- Great high and low volume
- Compact, heavy-duty design
- IP55 water & dust resistant
- Led Indicator Charging
- Volume control
- LED Front light
- Replaceable lithium 1500mAH battery

- Dimensions: 2.3" x 1.1 x 3"



3.5mm accessory port on the side

Micro USB Charging Port



KEVLAR

Cords on All Speaker Mics







P67
Speaker Mic Rating

WATER AND DUST PROOF

ENGINEERED FOR ENHANCED AUDIO PERFORMANCE AND DURABILITY INDEPENDENT LAB TEST RATING IP67 4.9mm FIRE RETARDANT CABLE

Speaker Microphones

RACAN COMMUNICATIONS

Compact Size

SM1

- Dimensions: 2.1" x 1" x 2.7"





3.5mm accessory port on the side360 degree rotating clothing clip



Standard Size SM2

- Dimensions: 2.3" x 1.1" x 3"





3.5mm accessory port on the side 360 degree rotating clothing clip



Compact Size SM3

- Dimensions: 2" x 1" x 2.8"

- Most economical

- Newly designed lightweight





3.5mm accessory port on the bottom360 degree rotating clothing clip



Heavy Duty SM4

- Dimensions: 2.4" x 1.2" x 3"

- IP55 rated/ water and dust resistant

SM4W

- Available in waterproof with an IP67 rating/ water and dust proof
- No accessory jack





3.5mm accessory port on the bottom - SM4 model only 360 degree rotating clothing clip



Mobile Palm Mic

PM2

- Dimensions: 2.25" x .8" x 2"
- Includes mobile hang-up clip
- RJ45 connector
- IP57 rated/ water and dust resistant



KEVLAR

Cords on All Speaker Mics







ACTIVE NOISE CANCELLING Speaker Mic.

Background Noise & Voice Go Into Radio



Mic. Reduces Background Noise for Clear Voice





2nd Mic Captures & Removes Background Noise

Item # SM6WLNC






Passive Noise Cancelling SM2NC

- IP54 Dust & water resistant
- Heavy guage 4.2mm cable
- Strong 360-degree rotating clip



NOISE CANCELLING

Premium Accessories





MIL SPEC SPEAKER MIC 8 Active Noise Cancelling



3 MIC TECHNOLOGY

Performance speaker with integrated DSP software for active noise cancellation via triple mics







- IP67 water protection

- Flame retardant

- Active noise cancellation

- Triple microphone

- Nexus 5 pole jack for headset

-Audiojackforearphone3.5mm

- Large front PTT

- Side PTT

- Volume (top) toggle switch

- Optional LED

- Optional emergency button

- Optional function button







RECEIVE ONLY - LENGTH OPTIONS





millimeter connectors

Shoulder Mics 6 inch 15 cm **Chest Mics** 12 inch 30 cm **Hip Mics** 48 inch 120 cm

NEW "HI-DEF"

RECEIVE ONLY ACOUSTIC TUBE





knowles

- Engineered Audio Perfection
- Knowles Premium Speaker
- Crystal Clear, Full Sound
- Clear Low & High Volumes
- Strong, Removable Clip
- Replaceable Acoustic Tube Screw In
- Comes with Three Ear Tips







Hi-Def Premium Voice Receive Only

ATHDROC30-2.5 12 in long w/ 2.5mm ATHDROC30-3.5 12 in long w/ 3.5mm



Knowles

Hi-Def Premium Voice Receive Only

HDIEG+ROS30-2.5 9.5in long w/ 2.5mm HDIEG+ROS30-3.5 9.5in long w/ 3.5mm



Acoustic Tube Receive Only

ATROC10-2.5 4in long w/ 2.5mm

ATROC15-2.5 6in long w/ 2.5mm

ATROC10-3.5 4in long w/ 3.5mm

ATROC15-3.5 6in long w/ 3.5mm

ATROC30-2.5 12in long w/ 2.5mm

ATROC30-3.5 12in long w/ 3.5mm

ATROC120 48in long w/ 3.5mm



Ear Bud Receive Only

EBROC15-2.5 6in long w/ 2.5mm EBROC15-3.5 6in long w/ 3.5mm



D-Ring Receive Only

DRROC15-2.5 6in long w/ 2.5mm DRROC15-3.5 6in long w/ 3.5mm



D-Ring Adjustable Receive Only

DRAROC15-2.5 6in long w/ 2.5mm DRAROC15-3.5 6in long w/ 3.5mm



Ear Hook Receive Only

EHROC15-2.5 6in long w/ 2.5mm EHROC15-3.5 6in long w/ 3.5mm



Swivel Receive Only

SWVLROC15-2.5 6in long w/ 2.5mm SWVLROC15-3.5 6in long w/ 3.5mm



BRAIDED FIBER CLOTH

Receive Only Snaplock

SL+ROS120-2.5 48in long w/ 2.5mm SL+ROS120-3.5 48in long w/ 3.5mm

See Snaplock System page



KEVLAR



NEW HI-DEF, NOISE CANCELLING IN-EAR HEADSET



Mechanical On-Off to Ambient Noise



Premium Noise Reduction Foam Tips 24.9 ~ 48.4 dB Reduction



Noise Cancelling Boom Mic





OVER & BEHIND HEAD LIGHTWEIGHT HEADSETS

Single Side Lightweight Over the Head Headset

HSS

- In-line PTT
- Adjustable over the head band
- Metal Headband



Double Side Lightweight Over the Head Headset

HSD

- In-line PTT with microphone
- Adjustable over the head band
- Metal Headband



Lightweight Behind the Head Headset

HSB

- In-line PTT
- Lightweight wire frame



Lightweight H/D Behind the Head Headset

HSBHD

- In-line round mushroom PTT with coil cable
- Adjustable headstrap
- Heavy duty wire frame





NEW HARD HAT Headset



- High quality noise cancelling microphone
- Super comfortable with foam earpads
- Clips right into hard hat
- PTT on earmuff
- Detachable PTT Cable
- Cable sold separately HS4-CAB



Item # HS2

Noise Cancelling Boom Mics

Premium Molded Foam Ear Pads

SNR Rating 24dB ~ 33dB

NEW LIGHTWEIGHT PADDED

Headset

- Adjustable over head dual ear muffs
- High quality noise cancelling microphone
- Quality foam ear pad, replaceable
- Detachable PTT Cable
- Cable sold separately HS-PTTCAB





Noise Cancelling Boom Mics

Premium Molded Gel Ear Pads

SNR Rating 24dB ~ 33dB

Item # HS3



NEW LIGHTWEIGHT FLE Headset



- Lightweight and tight Collapsible frame
- Adjustable, flexible, and very comfortable firm fit
- Strong flexible noise cancelling dual diaphragm microphone
- Foam replaceable earmuff pads
- Detachable coil cable (left earmuff)
- Cable sold separately HS5-CAB
- Works with all radio models

Available Now!







Noise Cancelling Boom Mics

Premium Molded Foam Ear Pads

SNR Rating 24dB ~ 33dB

Item # HS3G

NEW LIGHTWEIGHT FLEX Headset



- Lightweight and tight collapsible frame
- Adjustable, flexible, and very comfortable firm fit
- Strong flexible noise cancelling dual diaphragm microphone
- Foam replaceable earmuff pads
- Detachable coil cable (left earmuff)
- Cable sold separately HS5-CAB
- Works with all radio models

Available Now!











Premium Molded Foam Ear Pads

SNR Rating 24dB ~ 33dB







Noise Cancelling Boom Mics

Item # HS-PTTCAB

Premium Molded Gel Ear Pads

SNR Rating 24dB ~ 33dB

Item # HS1





BEHIND HEAD HEAVY DUTY HEADSETS

PTT in Cable Headset HS5



- Behind The Head Headset
- Adjustable head band accommodates headgear
- Coil Cable sold separately HS5-CAB, NX-CAB Available Colors

PTT on Ear Muff Headset HS4



- Behind The Head Headset
- Adjustable head band accommodates headgear
- Coil Cable sold separately HS4-CAB, NX-CAB Available Colors

Features

- Premium molded gel ear pads
- Includes spare boom mic shield
- Flexible boom mic
- Microphones are noise cancelling/directional mic
- SNR rating 33db H=33db M=32db L=24dB

Volume and PTT on Headset HS8



- Behind The Head Headset
- Adjustable head band accommodates headgear
- Volume control on right ear cup
- Push-to-talk on left ear cup
- Cable connector on both ear cups
- Coil Cable sold separately HS4-CAB

KEVLAR

Cords on Large Ear Muff



Adaptor Options





ADC-Y3-FL3.5 adaptor dongle to 3.5mm custom accessories

AD-Y3-FL3.5 adaptor to 3.5mm custom accessories

Works with: VX260, VX231, VX300 Series, VX400 Series eVerge- eVX531, eVX534, eVX539

Perfect for multi shift users who are constantly plugging and unplugging earpieces, causing accessory port issues. This solution is reverse wired so the earpieces are plugged into the adaptor instead of directly into the radio, eliminating unwanted service problems for the dealer.

- Adaptor stays connected to the radio and accessories are connected and disconnected to the adaptor.
- Avoid costly repairs and radio down time associated with accessory port issues.



Adaptor Earpiece Options

Additional Adaptors Available Inquire directly.

See Adaptor Parts Page



AD-K1-K Kenwood



AD-M15-M Motorola



AD-M12-M Motorola



Hirose™ Quick Disconnect **Adaptors and Accessories**

Our Hirose™ quick disconnect adaptors allow users to quickly attach and detach accessories without having to use the connection to the radio.

A great option for users who want to disconnect the radio without removing their accessory. disconnect quickly for charging the radio or quickly change between radios.









AD-K1-Hirose - works with Kenwood radios

AD-M12-Hirose - works with Motorola MOTOTRBO radios



AD-M3-Hirose includes PTT and 3.5mm accessory port

See on Adaptor Page



- Allows accessory to stay on person while changing or charging radios.
- Adaptor stays connected to the radio and accessories are quickly connected and disconnected to and from the adaptor
- Engineered and designed to ensure quality control

Hirose™ Earpiece Options

Available in 1 or 2 Wire Acoustic Tube



AT1W-Hirose 1-wire acoustic tube earpiece with straight through in-line PTT/microphone

AT2W-Hirose 2-wire acoustic tube earpiece with clip-on PTT / microphone



AT+1W-Hirose 1-wire BRAIDED FIBER CLOTH acoustic tube earpiece with straight through inline PTT / microphone with added shielding

AT+2W-Hirose 2-wire BRAIDED FIBER CLOTH acoustic tube earpiece with noise cancelling premium microphone and palm PTT

snaplock system



SL+2W - 2-wire Snaplock BRAIDED FIBER CLOTH with noise cancelling premium microphone and palm PTT Earpieces sold separately: SL-EB - Ear Bud

SL-EH - Ear Hook SL-SWVL - Swivel SL-DR - D-Ring

SL-DRA - Adjustable D-Ring SL-AT - Acoústic Tube

SL-ATR - Acoustic Tube Retail

Acoustic Tube Tips & Parts



Acoustic Tube Ear Tips



ETIP Tan/Black Clear 1, 2, 3 10 or 100 Pack



Molded Ear Tips Black/Clear/Pink S,M, L, Right/Left



EFIN Ear Fins Tips S,M, L, Right/Left



ETIP3-C - Clear 10 or 100 Pack



ETIPHDG-MLMR Hi-Def ear tip



ETIP-FOAM Premium
Noise Reduction ear tip
24~48 dB
1,10 or 100 pack



ETIP-FOAM & Plug Premium Noise Reduction ear tips 24~48 dB



YELLERS Noise Reduction ear tip 1,10 or 100 pack

Acoustic Tube Parts



ATCOMPSET - Clear



C4TUBESET with Clear Tips



B4TUBESET - Clear Tips Surgical Tubing



Acoustic Tube only Clear/Black



TUBESET with Clear Tips Surgical Tubing



B4JOINTB



LJOINT - Joint



B4SPKCLIP-B



Headset Mic Foams and Ear Pads



ESSB-10 -Black - for Ear Hook - 10 pack



MICMB - mic sponge HSB, HSS, HSBHD & HSD - 1 pack/10 pack



MICLB - mic sponge HS4, HS5, HS7, HS8 1 pack/10 pack



DRATIPB - adjustable D-Ring - 2 pack/10 pack



EMEGPAD - gel pad HS4, HS5, HS7, HS8



HSLWEP - earpad HSS & HSD



CLIP - fits 2.0mm & 2.5mm cable



CLIPA - 2.0-3.8mm cable




ATHDCLIP



FPTT - Wired Finger PTT



USB-MICRO Cable



SM7BAT - Speaker Mic 7 Replacement Battery

Radio & Hirose Adaptors



Adaptors



AD-M12-M Motorola



AD-M15-M Motorola



AD-M4-M Motorola



AD-M5-3.5 Motorola



AD-K1-K Kenwood



AD-Y3-FL3.5 Vertex



AD-I-S2 Icom



ADC-Y3-FL3.5 Vertex

HIROSE



AD-M3-HIROSE Motorola



AD-M15-HIROSE Motorola



AD-M12-HIROSE Motorola



AD-K1-HIROSE Kenwood

Call for options on non-US-stocked adaptors





Battery Clips



BC1 - Clip for CP110 and RDU2080



BC2 - Clip for CP200



BC3- Clip for HT750 and HT1250



BC4 - Clip for Motorola XPR6550



BC5 - Clip for Motorola XPR3500 and XPR7550

Call for options on non-US-stocked clips

Speaker Mic Clips



SM2CLIP- replacement clip for SM2, SM4 & SM4W



SM3CLIP- replacement clip for SM1 & SM3



SM6CLIP- replacement clip for SM6



PMCLP - replacement clip for Palm Mics

Accessory Connector Chart





Image	Part no.	Works With Radio Models:
	BK2	P150 KNG
- 11 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	к	Relm RPU416, RPU416A, RPU499, RPU499A Plus, RPU4200, RPV516, RPV599X, RPV516A, RPV599A Plus
	M5	Relm RPV3000 / 3600 / RPU3000 / 3300C
	М	Relm RP6500

HARRIS

Image	Part no.	Works With Radio Models:
	HR2	P5300, P5350, P5370, P5400, P5450, P5470, P5500, P5550, P5570, P7300, P7370, P7350, XG-25, XG-75
P	H6	HDP100, HDP150, HDP250 Momentum
S Harrison	Н7	HDP-250





Image	Part no.	Works With Radio Models:
1	H4	BD5 Series, PD4 Series, PD5 Series, TC-446S, TC-500, TC-508, TC-518, TC-580, TC-600, TC-610, TC618, TC620, TC626, TC-700, TC-700 Ex PLUS, POWER446
1	H5	TC320 with locking screw
-	Н6	PD7 Series, PD98X
	H7	PD-6 Series, X1e, X1p
-	Н8	BD3 Series, PD3 Series
	M4	TC-980
	M5	TC-610P, TC700P, TC-780P, TC-780M

Accessory Connector Chart



ICOM.

Image	Part no.	Works With Radio Models:
7	S2B	IP-100H, IP-501H - Waterproof
1	S 3	F1100D/F2100D, F3210D/F4210D, F11, F11S, F14, F14S, F21, F21S, F24, F24S, F33GS, F33GT, F43GS, F43GT, F43GS, F43GT, F43GS, F43GT, F43TR, F1000/F2000, F3003, F3021/F4021, F4029SDR, F3001/F4001, F3011/F4011, F3101/F4101, JC-V80/V80E,
1	S3B	F1000/F2000D/T/S, F1100D/F2100D, F3031S/4031S, F3230/4230DT/DS, F31/41W, V88 - BC1000 Watreproof
	12	F30G/ F30GT/ F30GS/ F31GS/ F31GT, F40G/ F40GS/ F40GT, F50/ F50V/ F51, F60/ F61/ F61V, F70, F80, M87 / 88, F3061 Series/ F4061 Series, IC-F3161 Series/ F4161 Series, F3062/F4162, F4029DRR
1	14	F3260/ F4230, F3261D/ F4261D, F3360D/ F4360D, PD52D, PD62D, F3400D/ F4400DT/DS/D, F5400/6400D/DS, F7010/F7020, F7210T/F/S, F9011/F9021,



KENWOOD

Image	Part no.	Works With Radio Models:
	к	Free Talk XLS, NX240V/340U, Pro Talk XLS, TK208/308, TK2100/3100, 2160/3160/3101,TK2170/3170/3173,TK220/320, TK240/340, TK240D/340D, T248, TK250/350/353, TK348, TK248, TK430/431, TK2200/3200, TK2202/3202/TK3212, TK2130, TK2212, TK2300/TK2312 3101 Free Talk, TK2400, TK2302/3302, TK3312, TK259/359, TK272G/372G, TK3100, TK3130 (ProTalk XLS), TK3173, TK2360, ,TK3230,TK3360, TK3131, TK3201, TK3300, TK3350, TK260G/360G, TK270G/370G, TK373G, XL2102/3102 Pro Talk, TK2400VP/3400UP, TK2402V/3402U, TK260, TK360, TK370, TK373 TK2130 ProTalk XLS),TK3131 (FreeTalk XLS) NEXEDGE NX220, NX240 / 340, NX320, NX420
	K1	TK-190/290/390, TK-280/380/480, TK-385, TK-481, TK-2140/3140, TK-2180/3180/4180, TK-3148, TK-3212, TK-5210/5310, TK-5220/5320, TK-5410, TK-5320/5420, TK-5400, <u>NEXEDGE</u> NX200/300, NX210, NX410/411, NX-3200/3300, NX-5200, NX-5300, NX-5400
	К2	PKT23
	К5	NX-P500
I	КМ	Kenwood Mobil Palm Mic

EFJohns n

Image	Part no.	Works With Radio Models:
	I IVI'S	Viking VP600, VP900, Viking Fire, Viking CK8500 Series, Avenger 8100 Series, 51 Fire ES, 5100 ES Series, 51SL ES Series, 51LT ES, Multi-Net Ascend ES Series, AN/PRC 127EFJ



MOTOROLA

Image	Part no.	Works With Radio Models:
	М	BC10, BC90, BC120, BC130, BPR40, CLS1110, CLS1410, CP125, CP88, CP100, CP110, CP150, CP185, CP200, CP200D, CP200XLS, CP450, CT150, CT250, CT450, CT450LS, DTR Series, GP2000, GP300, GP308, GP68, GP88, GP2000, GTI, GTX, LTS2000, MAG ONE, PR400, P040, P080, P110, P1215, P1225LS, PRO3150, SP10, SP21, SP50, XTN446, XTN500, XTN600, XV1100, XV2100, XU1100, XU2100, XU2600, VL130, VL50, GP280, GP350 (requires Motorola adaptor HLN9482)
	М3	GP900, GP9000, HT1000, JT1000, MT2000, MTS2000, MTX8000, MTX838, MTX900, MTX9000, MTX960, MTX-LS, XTS2500, XTS3000Astro, XTS3500, XTS5000, XTS3000, PR1 500, XTS1500, MX838
	M4	GP1280, GP140, GP320, GP328, GP329, GP338, GP339, GP340, GP360, GP380, GP640, GP650, GP680, HT1250, HT1250LS, HT1550XLS, HT750, MTX8250, MTX8250LS, MTX850, MTX850LS, MTX9250, MTX950, PR860, MTP700, PRO5150, PRO5350, PRO5450, PRO5550, PRO5750, PRO7150, PRO7350, PRO7450, PRO7550, PRO9150, PTX700, PTX760, PTX780, PRO7750, WARIS
	M5	EX500, EX560, EX560XLS, EX600, GL200, GL2000, GP328Plus, GP338Plus, GP344, GP388, Pro5150Elite, Pro7150, Pro9150, Elite7150, Elite9150
	M12	APX6000, APX7000, DP3400, DP3401, DP3600, DP3601, SRX2200, XPR6300, XPR6350, XPR6380, XPR6500, XPR6550, XPR6580, XPR7350e, XPR7380e, XPR7550e, XPR7580e,
	M14	SL300, SL3000e, SL3500e, SL500, SL7000, SL7500, SL7550e, SL7580e, SL7590e, SL4000, SL4010 - WAVE TLK100
	M15	APX3000/8000, DP2000, DP2400, DP2600, DP 3441MTP,3100/3150/3200/3250/3500/3550, DP2400, DP2600, DP3441, MOTOTRBO - XPR3300e, XPR3500e
	M17	CLP1010, CLP1040, CLP1060
	мм	XPR5000 Series Mobie Radio Pam Mic
1	MM1	CM200d, CM300d, XPR 2500 Mobile Radio Palm Mic



maxon 细霉菌剂霉菌

Image	Part no.	Works With Radio Models:
i i	М	TJ-3100V, TJ-3400U, TJ-3400UM, TP-5116, TP-5416, TP-8102, TP-8402, TP-8000BT Series, TP-8000R Series, TS-2116, TS-2416, TS-3116, TS-3416
	M12	TPD-1116, TPD-1416, TPD-1124, TPD-1424
-	M14	TPD-8124, TPD-8424
į į	К	TS-3416K

Accessory Connector Chart



Image	Part no.	Works With Radio Models:
NEXTE	L	
::::::::::::::::::::::::::::::::::::::	KN	NEXTEL i300, i305, i405, i450, i475

<u>sepura</u>

SP2 SC230 Series, STP8000, STP9000, STP9200	
---	--

tait

	TA	TP8100 series, TP9400 series
--	----	------------------------------

1 4 34 5 4 5 4

	М	
(468-	Digital Ready	XU100, XV100, XU1000, XV1000





Vertex Standard

Image	Part no.	Works With Radio Models:
-	Y3	BC95, eVerge- eVX531, eVX534, eVX539, VX10, VX130, VX160, VX180, VX210, VX210A, VX230, VX300, VX231, VX350, VX351, VX354, VX400, VX410, VX420, VX451, VX454, VX459
	Y5	VX820, VX821, VX824, VX829, VX871, VX874, VX879, VX920, VX921, VX924, VX971, VX974, VX979
	Y6	eVX-S24

Conditions of Sale



- Payment terms are due upon receipt unless prior written approval.
- Freight: F.O.B. warehouse Tampa, FL.
- 3. Shipping policy: If product is in stock, orders will typically ship same day if received before 2:00pm.
- 4. Pricing, specifications and terms are subject to change without notice.
- Return policy: NationalZWay will accept returns on NEW product, in original packaging, within 90 days of original purchase date with a 20% restocking fee. Individual restocking issues will be determined by NationalZWay. After 90 days, NationalZWay will not accept returns.
- 6. We will accept Visa, MasterCard, Discover, American Express and wire transfers of remittances for payment.
- Warranty: 36 months from date of purchase with the exception of wireless products, batteries, and battery powered products which are warrantied for 12 months from date of purchase.
- Applicable taxes, shipping expenses, duties, and charges are in addition to the prices shown.
- Customer purchase orders are subject to the following:
 - a. Acceptance upon receipt
 - Customer cannot change or after delivery dates after order has shipped.
 - Terms of payment must be on Purchase Orders.
 - Shipment and taxes may be applied or altered after N2W receives the purchase order
 - Address of delivery destination
 - All special delivery instructions
 - g. Purchase Order number
 - h. Order information
 - Full name, title and contact information for authorized purchasing party.
- 10. NationalZWay audio accessory products are designed to produce a specific audio output level at maximum rated power. Modifying these devices in any way, including or removing components and accessories may change audio output of the device and result in PERMANENT HEARING DAMAGE.

Many countries have regulations defining the amount of noise that an individual can be subjected to during a normal workday. The duration of exposure, the level or audio output and the level of ambient noise will affect compliance to these regulations. Compliance is application dependent and standards vary. It is the SOLE RESPONSIBILITY of the end-user to determine applicability of, and compliance to, local hearing protection guidelines.

In addition, if purchasing any N2W accessory which use earphones lifts, it is the SOLE RESPONSIBILITY of the user to determine proper fit. Always use caution when inserting any of the products into the ear.

Access to Ordering and Shipment information

NationalZWay grants access to up-to-date account and pricing information at <u>www.nationalZway.com</u>. Users can complete the request for login info to do the following:

- Order items quickly and easily
- Check the status of your orders
- View order history
- Store alternative shipping addresses
- Update account information
- Download resources for your sales group

Warranty & Return Procedure



National 2Way warrants all products against defects in materials of workmanship for 36 months from the date of purchase with the exception of wireless products, batteries, and battery powered products which are warrantied for 12 months from the date of purchase. National2Way will repair or replace a defective unit, at our option, without charge for parts of labor. The limited warranty is extended only to the original purchaser and is valid only to consumers in the United States. and Canada. It does not cover damage or failure caused by or attributable to Acts of God, abuse, misuse, improper or abnormal usage, faulty installation, improper maintenance, lightning or other incidences of excessive voltage, or any tampering or repairs other than N2W authorized repair facilities, it does not cover replacement of consumable products, transportation costs, or damage in transit. This warranty will become void if the serial number or model number identification has been wholly or partially removed or erased.

Repair or replacement under the terms of this warranty does not extend the terms of this warranty. The warranty can only be modified by an officer of National2Way, and then only in writing. Should this product prove to be defective in workmanship or materials, the consumer's sole remedies shall be repair or replacement as provided by the terms of this. warranty. Under no circumstance shall N2W be liable for any loss or damage, direct consequential, or incidental, arising out of the use of or inability to use this product. Some states do not allow limitations on how long an implied warranty lasts or the exclusions or limitations of incidental or consequential damages, so the above limitations or exclusions may not apply to you. This warranty gives you specific rights. You may also have rights, which vary from state to state.

National 2Way is committed to our dealers/customers. We are recognized worldwide for impositive, durable products with superior performance. All products are vigorously tested to exceed industry standards. We do recognize that we have a need to replace faulty equipment from time-to-time and we want this to be as painless as possible for you so you can take care of your customers.

We provide a three-year warranty on all of our speakers, headsets and speaker microphones, and a one year warranty on all of our wireless products. Please visit http://national2way.com/rapidwarranty and follow the steps to submit a request a Rapid Warranty or email rapidrespurse@national2way.com. All replacement products will ship next business day via FedEx.

Dealer pre-Testing of Equipment — please take the time to Dealer test all products before returning them to NZW. If NZW service technicians are unable to duplicate or determine the stated failure mode, the product will be returned.

Warranty vs Non-warranty – If the failure mode is determined to be a warranty issued, the product will be repaired or replaced at no charge. If the failure mode is determined to be non-warranty issues, the parts will be returned to the customer/dealer, along with a Failure Analysis Report. At N2W's discretion, minor rework may be performed after contact is made with the customer/dealer to ensure an understanding of how the failure occurred.

Repair Service – National2Way provides repair service for selected products. Contact customer service for further information. Several replacement part options are available which will allow your technician. to repair your unit; thereby avoiding the purchase of a new unit.